

# Cabot's CEMENT FLOOR STAINS

Cabot's Cement Floor Stains are an oil-base, water-resistant, durable finish for coloring and protecting cement, concrete, wood and other porous masonry floors. Their lasting rich colors bring out the full beauty of the texture of the surface.

The Cement Floor Stains present an attractive finish which will not crack, peel or scale. The Stains decorate and preserve the surface and are an excellent waterproofing agent.

These Stains are especially formulated for basement floors, porches, patios, sun decks, and steps. They are highly resistant to detergents, beverages (including alcoholic) and fruit juices.

Cabot's Cement Floor Stains withstand the punishments of abrasion and moisture, which destroy ordinary concrete finishes. These Stains are used in the home, hotels, schools, factories and churches.

**SPECIFICATIONS:** 1. The surface to be stained must be clean, dry, and free from dirt, grease, oil or wax.

2. Etch the surface. All cement and concrete floors should be etched with a 10% solution of muriatic acid. Apply with a mop and allow to stand ten minutes or more until all the bubbling has ceased. The surface should then be washed with clear water and allowed to dry thoroughly before staining. When painting concrete or cement floors below foundation level, provide positive ventilation with an electric fan or other means.

3. All new concrete or cement must be cured before staining.


4. Stir the Cement Floor Stain thoroughly before applying and occasionally while applying to maintain a uniform solution. If the job requires more than one can of Stain, mix all together in one large container.

5. Can be applied with a brush, spray, roller or flat applicator. Two coats are recommended for best results. Allow 24 hours between coats.

6. To prevent accumulation of dirt on surfaces subject to heavy traffic, apply a coat of Cabot's Paste Wax over the Cement Floor Stain — renew Paste Wax whenever necessary.

The Cement Floor Stains should be applied to untreated or previously stained surfaces only. For painted surfaces in good condition we recommend the use of Cabot's Deck & Floor Collopakes.

**COVERING CAPACITY:** Approximately 250-300 square feet per gallon first coat, depending on porosity of the surface.



246 Summer Street, Boston, Mass. 02210

New York  
Akron

Chicago  
Miami

Minneapolis  
Charlotte

FOR SCHOOLS  
GARAGES  
CHURCHES  
FACTORIES  
HOMES  
PUBLIC BUILDINGS

Cabot's  
CEMENT FLOOR STAINS

FOR BASEMENTS  
FLOORS  
PORCHES  
PATIOS  
STEPS  
SUN DECKS

# CABOT'S CEMENT FLOOR STAINS

FOR BASEMENTS, FLOORS, PORCHES AND PATIOS

Interior or Exterior

*A stain finish that is —*

**Decorative and Durable**

**Waterproof**

**Weatherproof**

**AND WILL NOT CRACK, PEEL OR SCALE.**



CF-55 MINT GREEN



CF-41 COBBLESTONE GRAY



CF-47 BROWNSTONE



CF-45 QUARRY GRAY



CF-97 SANDSTONE



CF-20 BRICK RED



CF-10 EVERGREEN



CF-85 PIPESTONE RED

*Also Made In*

CF-12 WHITE

CF-61 BLACK

CLEAN YOUR BRUSHES WITH CABOT'S BRUSH CLEANER

# CABOT'S CEMENT FLOOR STAINS

FOR BASEMENTS, FLOORS, PORCHES AND PATIOS

Interior or Exterior



CF-55 MINT GREEN



CF-47 BROWNSTONE



CF-20 BRICK RED

Digitized by



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Jablonski Building Conservation  
[www.jbconservation.com](http://www.jbconservation.com)

CF-61 BLACK



CF-41 COBBLESTONE GRAY



CF-97 SANDSTONE



CF-85 PIPESTONE RED

CLEAN YOUR BRUSHES WITH CABOT'S BRUSH CLEANER